



Cennik

Ważny od 16.05.2022





Spis treści

	Strona
Kaiflex KKplus s1	3
Kaiflex ST s2 / ST NOWOŚĆ!	5
Kaiflex RT-ST	15
Kaiflex Duct	17
Kaiflex EPDMplus	19
Kaiflex HFplus s2	21
Kaisound	23
Kaivenience	24
Protect (R) HD	25
Kaiflex Protect F-BLACK	26
Kaiflex Protect Alu-TEC	29
Kaiflex Protect Alu-NET	32
Kaiflex Protect TS	34
Akcesoria	35
Kaifinish	36
Ogólne warunki dostaw	40



Osoby kontaktowe



Kaimann GmbH

Hansastr. 2-5
33161 Hövelhof
Germany
Tel.: +49 5257 9850 - 0
info.kaimann@saint-gobain.com
www.kaimann.com

Wjazd dla ciężarówek

Paderborner Straße 39
33161 Hövelhof
Germany

Sprzedaż w Polsce

Kaimann Polska

Aleja Jana Nowaka-Jeziorańskiego 39
44-102 Gliwice
Polska
zamowienia.kaimann
@saint-gobain.com

Piotr Konieczny

Business Manager Poland
Mobil: +48 66 02 02 818
piotr.konieczny@saint-gobain.com

Paweł Laskowski

Regional Sales Manager
Mobil: +48 57 27 75 201
pawel.laskowski@saint-gobain.com

Marcin Dombek

Dział realizacji zamówień
Tel.: +48 733 193 657
marcin.dombek@saint-gobain.com

Piotr Daniluk

Regional Sales Manager
Mobil: +48 57 27 70 373
piotr.daniluk@saint-gobain.com

Piotr Pająk

Dział realizacji zamówień
Tel.: +48 733 844 513
piotr.pajak@saint-gobain.com



Kaiflex KKplus s1 Otulina · niepowlekana (Technologia KaiCene)

Kolor: Czarny / Antracyt · Długość: 1,2 m

13 mm Grubość				19 mm Grubość			
Wymiar	Nr kat.	m/ karton	zł/ m	Wymiar	Nr kat.	m/ karton	zł/ m
KK+s1-13x015-1,2	4005146	108,0	39,57	KK+s1-19x015-1,2	4005157	62,4	72,90
KK+s1-13x018-1,2	4005147	88,8	42,72	KK+s1-19x018-1,2	4005158	50,4	74,29
KK+s1-13x022-1,2	4005148	73,2	44,49	KK+s1-19x022-1,2	4005159	49,2	84,84
KK+s1-13x028-1,2	4005149	58,8	48,58	KK+s1-19x028-1,2	4005160	39,6	91,38
KK+s1-13x035-1,2	4005150	50,4	54,20	KK+s1-19x035-1,2	4005161	30,0	99,38
KK+s1-13x042-1,2	4005151	36,0	65,67	KK+s1-19x042-1,2	4005162	27,6	116,01
KK+s1-13x048-1,2	4005152	38,4	69,67	KK+s1-19x048-1,2	4005163	24,0	118,55
KK+s1-13x054-1,2	4005153	36,0	76,44	KK+s1-19x054-1,2	4005164	19,2	157,52
KK+s1-13x060-1,2	4005154	28,8	86,84	KK+s1-19x060-1,2	4005165	19,2	175,84
KK+s1-13x064-1,2	4008639	28,8	97,07	KK+s1-19x064-1,2	4008642	15,6	190,69
KK+s1-13x076-1,2	4005155	27,6	114,55	KK+s1-19x076-1,2	4005166	16,8	194,07
KK+s1-13x089-1,2	4005156	19,2	123,64	KK+s1-19x089-1,2	4005167	14,4	207,55

25 mm Grubość				32 mm Grubość			
Wymiar	Nr kat.	m/ karton	zł/ m	Wymiar	Nr kat.	m/ karton	zł/ m
				KK+s1-32x015-1,2	4008655 *	21,6	142,42
KK+s1-25x018-1,2	4008643 *	37,2	107,32	KK+s1-32x018-1,2	4008656 *	21,6	146,66
KK+s1-25x022-1,2	4008644 *	30,0	113,55	KK+s1-32x022-1,2	4008657 *	21,6	155,97
KK+s1-25x028-1,2	4008645 *	24,0	123,02	KK+s1-32x028-1,2	4008658 *	19,2	159,90
KK+s1-25x035-1,2	4008646 *	21,6	134,72	KK+s1-32x035-1,2	4008659 *	16,8	198,08
KK+s1-25x042-1,2	4008647 *	19,2	150,43	KK+s1-32x042-1,2	4008660 *	14,4	205,32
KK+s1-25x048-1,2	4008648 *	16,8	165,21	KK+s1-32x048-1,2	4008661 *	13,2	219,56
KK+s1-25x054-1,2	4008649 *	16,8	173,98	KK+s1-32x054-1,2	4008662 *	12,0	225,18
KK+s1-25x060-1,2	4008650 *	15,6	195,24	KK+s1-32x060-1,2	4008663 *	10,8	251,13
KK+s1-25x064-1,2	4008651 *	14,4	246,58	KK+s1-32x064-1,2	4008664 *	10,8	315,17
				KK+s1-32x070-1,2	4008665 *	9,6	348,66
KK+s1-25x076-1,2	4008652 *	12,0	283,14	KK+s1-32x076-1,2	4008666 *	7,2	366,68
KK+s1-25x089-1,2	4008653 *	9,6	303,85	KK+s1-32x089-1,2	4008667 *	7,2	392,62

* Towar nie jest towarem dostępnym z magazynu, termin dostawy na zapytanie.

W celu uzyskania informacji o zakresie innych wymiarów, prosimy o kontakt z naszym centrum obsługi klienta.



Kaiflex KKplus s1 SK Otulina · niepowlekana (Technologia KaiCene) · samoprzylepna · z nacięciem wzdłużnym

Kolor: Czarny / Antracyt · Długość: 1,2 m

13 mm Grubość				19 mm Grubość			
Wymiar	Nr kat.	m/ karton	zł/ m	Wymiar	Nr kat.	m/ karton	zł/ m
KK+s1-13x015-1,2-SK	4008683 *	108,0	54,27	KK+s1-19x015-1,2-SK	4008694 *	62,4	93,46
KK+s1-13x018-1,2-SK	4008684 *	88,8	58,81	KK+s1-19x018-1,2-SK	4008695 *	50,4	95,46
KK+s1-13x022-1,2-SK	4008685 *	72,3	61,28	KK+s1-19x022-1,2-SK	4008696 *	49,2	108,70
KK+s1-13x028-1,2-SK	4008686 *	58,8	66,60	KK+s1-19x028-1,2-SK	4008697 *	39,6	117,09
KK+s1-13x035-1,2-SK	4008687 *	50,4	74,37	KK+s1-19x035-1,2-SK	4008698 *	30,0	127,41
KK+s1-13x042-1,2-SK	4008688 *	36,0	90,07	KK+s1-19x042-1,2-SK	4008699 *	27,6	148,58
KK+s1-13x048-1,2-SK	4008689 *	38,4	95,61	KK+s1-19x048-1,2-SK	4008700 *	24,0	151,81
KK+s1-13x054-1,2-SK	4008690 *	36,0	105,09	KK+s1-19x054-1,2-SK	4008701 *	19,2	202,01
KK+s1-13x060-1,2-SK	4008691 *	28,8	119,32	KK+s1-19x060-1,2-SK	4008702 *	19,2	225,25
KK+s1-13x076-1,2-SK	4008692 *	27,6	148,96	KK+s1-19x076-1,2-SK	4008703 *	16,8	248,73
KK+s1-13x089-1,2-SK	4008693 *	19,2	169,83	KK+s1-19x089-1,2-SK	4008704 *	14,4	265,98

* Towar nie jest towarem dostępnym z magazynu, termin dostawy na zapytanie.

W celu uzyskania informacji o zakresie innych wymiarów, prosimy o kontakt z naszym centrum obsługi klienta.

Kaiflex KKplus s1 Mata · powlekana (INCERAM-Cladding) · w rolce

Kolor: Czarny / Antracyt

Grubość mm	Mata · w rolce 1 m szerokość				Mata · w rolce · samoprzylepna 1 m szerokość			
	Wymiar	Nr kat.	m ² / karton	zł/ m ²	Wymiar	Nr kat.	m ² / karton	zł/ m ²
6	KK+s1-06-RL	4008727 *	18	795,17	KK+s1-06-RL-SK	4008733 *	15	860,68
10	KK+s1-10-RL	4008728 *	10	883,78	KK+s1-10-RL-SK	4008734 *	10	949,29
13	KK+s1-13-RL	4008729 *	14	991,24	KK+s1-13-RL-SK	4008735 *	14	1056,68
16	KK+s1-19-RL	4008730 *	10	1130,51	KK+s1-19-RL-SK	4008736 *	10	1196,02
19	KK+s1-25-RL	4008731 *	8	1262,08	KK+s1-25-RL-SK	4008737 *	8	1327,59
32	KK+s1-32-RL	4008732 *	6	1481,95	KK+s1-32-RL-SK	4008738 *	6	1547,45

* Towar nie jest towarem dostępnym z magazynu, termin dostawy na zapytanie.

W celu uzyskania informacji o zakresie innych wymiarów, prosimy o kontakt z naszym centrum obsługi klienta.



Kaiflex ST s2 Otulina

Kolor: Czarny · Długość: 2 m

6 mm Grubość				9 mm Grubość			
Wymiar	Nr kat.	m/ karton	zł/ m	Wymiar	Nr kat.	m/ karton	zł/ m
STs2-T-2m-06x006	4001188	600	5,57	STs2-T-2m-09x006	4001200	360	6,52
STs2-T-2m-06x008	4001189	500	5,78	STs2-T-2m-09x008	4001201	340	6,77
STs2-T-2m-06x010	4001190	430	5,92	STs2-T-2m-09x010	4001202	320	7,05
STs2-T-2m-06x012	4001191	350	6,16	STs2-T-2m-09x012	4001203	280	7,53
STs2-T-2m-06x015	4001192	300	6,88	STs2-T-2m-09x015	4001204	240	7,79
STs2-T-2m-06x018	4001193	280	7,44	STs2-T-2m-09x018	4001205	190	8,37
				STs2-T-2m-09x020	4001206	160	8,91
STs2-T-2m-06x022	4001195	216	7,82	STs2-T-2m-09x022	4001207	156	9,27
				STs2-T-2m-09x025	4001208	130	10,02
STs2-T-2m-06x028	4001197	150	9,21	STs2-T-2m-09x028	4001209	124	10,36
STs2-T-2m-06x035	4001199	120	10,53	STs2-T-2m-09x035	4001212	92	11,64
				STs2-T-2m-09x042	4001214	70	13,37
				STs2-T-2m-09x048	4001216	60	15,51
				STs2-T-2m-09x054	4001217	60	20,68
				STs2-T-2m-09x060	4001219	60	22,61
				STs2-T-2m-09x064	4001220	54	25,17
				STs2-T-2m-09x076	4001222	54	30,21
				STs2-T-2m-09x089	4001224	36	36,55
				STs2-T-2m-09x108	4001226	28	55,67
				STs2-T-2m-09x114	4001227	28	64,07
				STs2-T-2m-09x125	4001228	20	77,89
				STs2-T-2m-09x133	4001229	16	86,97
				STs2-T-2m-09x140	4001230	16	93,69
				STs2-T-2m-09x160	4001231	14	114,76


Kaiflex ST s2 Otulina

Kolor: Czarny · Długość: 2 m

13 mm Grubość				19 mm Grubość			
Wymiar	Nr kat.	m/ karton	zł/ m	Wymiar	Nr kat.	m/ karton	zł/ m
STs2-T-2m-13x006	4001232	240	8,72	STs2-T-2m-19x006	4001266	126	16,33
STs2-T-2m-13x010	4001234	190	9,96	STs2-T-2m-19x010	4001267	106	17,32
STs2-T-2m-13x012	4001235	172	10,53	STs2-T-2m-19x012	4001268	100	18,18
STs2-T-2m-13x015	4001236	154	11,86	STs2-T-2m-19x015	4001269	86	21,75
STs2-T-2m-13x018	4001237	130	12,50	STs2-T-2m-19x018	4001270	78	22,53
STs2-T-2m-13x020	4001238	120	13,27	STs2-T-2m-19x020	4001271	76	23,86
STs2-T-2m-13x022	4001239	110	13,80	STs2-T-2m-19x022	4001272	74	25,17
STs2-T-2m-13x025	4001240	92	14,41	STs2-T-2m-19x025	4001273	60	28,49
STs2-T-2m-13x028	4001241	86	14,61	STs2-T-2m-19x028	4001274	58	30,18
STs2-T-2m-13x035	4001244	76	17,86	STs2-T-2m-19x035	4001277	48	35,55
STs2-T-2m-13x042	4001246	56	20,54	STs2-T-2m-19x042	4001279	40	40,15
STs2-T-2m-13x048	4001248	48	24,27	STs2-T-2m-19x048	4001281	30	48,12
STs2-T-2m-13x054	4001249	46	29,62	STs2-T-2m-19x054	4001282	30	54,91
STs2-T-2m-13x060	4001251	40	32,57	STs2-T-2m-19x060	4001284	28	62,01
STs2-T-2m-13x064	4001252	40	33,56	STs2-T-2m-19x064	4001285	28	66,00
STs2-T-2m-13x070	4001254	40	40,77	STs2-T-2m-19x070	4001287	28	75,37
STs2-T-2m-13x076	4001255	34	40,94	STs2-T-2m-19x076	4001288	28	76,28
STs2-T-2m-13x080	4001256	30	46,45	STs2-T-2m-19x080	4001289	26	83,58
STs2-T-2m-13x089	4001257	30	48,84	STs2-T-2m-19x089	4001290	22	84,61
STs2-T-2m-13x108	4001259	28	68,55	STs2-T-2m-19x108	4001292	20	115,76
STs2-T-2m-13x114	4001260	28	76,46	STs2-T-2m-19x114	4001293	18	122,12
STs2-T-2m-13x125	4001261	20	97,01	STs2-T-2m-19x125	4001294	18	137,02
STs2-T-2m-13x133	4001262	18	98,69	STs2-T-2m-19x133	4001295	12	141,15
STs2-T-2m-13x140	4001263	18	99,83	STs2-T-2m-19x140	4001296	10	157,23
STs2-T-2m-13x160	4001264	16	121,60	STs2-T-2m-19x160	4001297	8	172,85
				STs2-T-2m-19x168	4001298	8	185,92



Kaiflex ST s2 Otulina

Kolor: Czarny · Długość: 2 m

25 mm Grubość		32 mm Grubość					
Wymiar	Nr kat.	m/ karton	zł/ m	Wymiar	Nr kat.	m/ karton	zł/ m
STs2-T-2m-25x010	4001300	72	30,92	STs2-T-2m-32x010	4001345	40	46,03
STs2-T-2m-25x012	4001301	60	34,56	STs2-T-2m-32x012	4001346	36	46,03
STs2-T-2m-25x015	4001302	60	36,48	STs2-T-2m-32x015	4001347	32	48,24
STs2-T-2m-25x018	4001303	50	37,80	STs2-T-2m-32x018	4001348	32	51,74
STs2-T-2m-25x020	4001304	50	39,87				
STs2-T-2m-25x022	4001305	42	41,70	STs2-T-2m-32x022	4001349	32	54,94
STs2-T-2m-25x025	4001306	40	44,56				
STs2-T-2m-25x028	4001307	40	46,13	STs2-T-2m-32x028	4001351	24	61,25
STs2-T-2m-25x035	4001309	32	51,41	STs2-T-2m-32x035	4001352	24	71,19
STs2-T-2m-25x042	4001311	24	63,49	STs2-T-2m-32x042	4001353	22	86,97
STs2-T-2m-25x048	4001312	24	74,24	STs2-T-2m-32x048	4001354	18	94,21
STs2-T-2m-25x054	4001313	22	83,89	STs2-T-2m-32x054	4001355	18	108,85
STs2-T-2m-25x060	4001314	22	91,07	STs2-T-2m-32x060	4001357	16	117,42
STs2-T-2m-25x064	4001315	18	96,01	STs2-T-2m-32x064	4001358	16	123,07
STs2-T-2m-25x070	4001317	18	101,87	STs2-T-2m-32x070	4001360	14	132,84
STs2-T-2m-25x076	4001318	18	107,78	STs2-T-2m-32x076	4001361	12	139,93
STs2-T-2m-25x080	4001319	14	112,99	STs2-T-2m-32x080	4001362	12	153,61
STs2-T-2m-25x089	4001320	14	119,54	STs2-T-2m-32x089	4001363	10	155,02
STs2-T-2m-25x108	4001322	10	153,04	STs2-T-2m-32x108	4001365	8	219,75
STs2-T-2m-25x114	4001323	10	166,41	STs2-T-2m-32x114	4001366	8	226,55
				STs2-T-2m-32x125	4001367	6	261,50
				STs2-T-2m-32x133	4001368	6	271,87
STs2-T-2m-25x140	4001325	6	247,22	STs2-T-2m-32x140	4001369	6	283,51
STs2-T-2m-25x160	4001326	6	290,87	STs2-T-2m-32x160	4001370	4	327,87
STs2-T-2m-25x168	4001327	6	298,20	STs2-T-2m-32x168	4001371	4	334,82



Kaiflex ST s2 Otulina

Kolor: Czarny · Długość: 2 m							
		40 mm Grubość					
Wymiar	Nr kat.	m/ karton	zł/ m				
STs2-T-2m-40x022	4001373	22	155,91				
STs2-T-2m-40x028	4001375	16	162,22				
STs2-T-2m-40x035	4001376	16	170,02				
STs2-T-2m-40x042	4001377	16	177,32				
STs2-T-2m-40x048	4001378	12	186,51				
STs2-T-2m-40x054	4001379	10	194,86				
STs2-T-2m-40x060	4001380	10	229,33				
STs2-T-2m-40x064	4001381	10	271,92				
STs2-T-2m-40x076	4001382	10	278,96				
STs2-T-2m-40x089	4001384	10	283,96				
STs2-T-2m-40x114	4001387	6	324,81				
STs2-T-2m-40x125	4001388	6	347,66				
STs2-T-2m-40x140	4001389	6	433,41				
STs2-T-2m-40x160	4001390	4	519,74				
STs2-T-2m-40x168	4001391	4	552,54				



Kaiflex ST_{s2} Otulina · samoprzylepna · z stycznym nacięciem wzdłużnym

Kolor: Czarny · Długość: 2 m

9 mm Grubość				13 mm Grubość			
Wymiar	Nr kat.	m/ karton	zł/ m	Wymiar	Nr kat.	m/ karton	zł/ m
STs2-T-2m-09x015-SA	4001649	240	19,61	STs2-T-2m-13x015-SA	4001661	154	21,80
STs2-T-2m-09x018-SA	4001650	190	19,87	STs2-T-2m-13x018-SA	4001662	130	23,16
STs2-T-2m-09x022-SA	4001651	156	21,00	STs2-T-2m-13x022-SA	4001663	110	24,02
STs2-T-2m-09x028-SA	4001652	124	25,73	STs2-T-2m-13x028-SA	4001664	86	28,62
STs2-T-2m-09x035-SA	4001653	92	30,62	STs2-T-2m-13x035-SA	4001665	76	34,74
STs2-T-2m-09x042-SA	4001654	70	33,03	STs2-T-2m-13x042-SA	4001666	56	39,88
STs2-T-2m-09x048-SA	4001655	60	36,40	STs2-T-2m-13x048-SA	4001667	48	44,30
STs2-T-2m-09x054-SA	4001656	60	48,09	STs2-T-2m-13x054-SA	4001668	46	53,42
STs2-T-2m-09x060-SA	4001657	60	55,10	STs2-T-2m-13x060-SA	4001669	40	62,24
STs2-T-2m-09x064-SA	4001658	54	60,49	STs2-T-2m-13x064-SA	4001670	40	69,01
STs2-T-2m-09x076-SA	4001659	54	67,86	STs2-T-2m-13x076-SA	4001671	34	76,18
				STs2-T-2m-13x080-SA	4001672	30	83,43
STs2-T-2m-09x089-SA	4001660	36	89,23	STs2-T-2m-13x089-SA	4001673	30	93,59

19 mm Grubość				25 mm Grubość			
Wymiar	Nr kat.	m/ karton	zł/ m	Wymiar	Nr kat.	m/ karton	zł/ m
STs2-T-2m-19x015-SA	4001674	86	39,58	STs2-T-2m-25x015-SA	4001687	60	82,95
STs2-T-2m-19x018-SA	4001675	78	42,45				
STs2-T-2m-19x022-SA	4001676	74	47,67	STs2-T-2m-25x022-SA	4001688	42	87,43
STs2-T-2m-19x028-SA	4001677	58	54,61	STs2-T-2m-25x028-SA	4001689	40	96,73
STs2-T-2m-19x035-SA	4001678	48	66,82	STs2-T-2m-25x035-SA	4001690	32	107,80
STs2-T-2m-19x042-SA	4001679	40	80,35	STs2-T-2m-25x042-SA	4001691	24	133,16
STs2-T-2m-19x048-SA	4001680	30	90,22	STs2-T-2m-25x048-SA	4001692	24	155,70
STs2-T-2m-19x054-SA	4001681	30	98,35	STs2-T-2m-25x054-SA	4001693	22	175,92
STs2-T-2m-19x060-SA	4001682	28	111,32	STs2-T-2m-25x060-SA	4001694	22	190,97
STs2-T-2m-19x064-SA	4001683	28	126,75	STs2-T-2m-25x067-SA	4007422	18	212,23
STs2-T-2m-19x076-SA	4001685	28	141,14	STs2-T-2m-25x076-SA	4001695	18	226,02
STs2-T-2m-19x089-SA	4001686	22	155,40	STs2-T-2m-25x089-SA	4001696	14	250,70

32 mm Grubość							
Wymiar	Nr kat.	m/ karton	zł/ m				
STs2-T-2m-32x022-SA	4009294	32	120,87				
STs2-T-2m-32x028-SA	4009295	24	134,76				
STs2-T-2m-32x060-SA	4001697	16	258,30				


Kaiflex ST Otulina · w zwoju

Kolor: Czarny							
6 mm Grubość				9 mm Grubość			
Wymiar	Nr kat.	m/ karton	zł/ m	Wymiar	Nr kat.	m/ karton	zł/ m
STs2-T-e-06x006	4001500	50	6,44	STs2-T-e-09x006	4001508	40	7,50
STs2-T-e-06x008	4001501	48	6,62	STs2-T-e-09x008	4001509	37	7,80
STs2-T-e-06x010	4001502	46	6,84	STs2-T-e-09x010	4001510	34	8,12
STs2-T-e-06x012	4001503	40	7,10	STs2-T-e-09x012	4001511	31	8,65
STs2-T-e-06x015	4001504	38	7,91	STs2-T-e-09x015	4001512	27	8,95
STs2-T-e-06x018	4001505	30	8,56	STs2-T-e-09x018	4001513	23	9,61
				STs2-T-e-09x020	4006619	23	10,35
STs2-T-e-06x022	4001506	23	8,99	STs2-T-e-09x022	4001514	19	10,67
STs2-T-e-06x028	4001507	20	10,63	STs2-T-e-09x028	4001515	14	11,90
13 mm Grubość							
Wymiar	Nr kat.	m/ karton	zł/ m				
STs2-T-e-13x006	4001516	26	10,01				
STs2-T-e-13x010	4001518	23	11,42				
STs2-T-e-13x012	4001519	18	12,14				
STs2-T-e-13x015	4001520	17	13,64				
STs2-T-e-13x018	4001521	15	14,40				
STs2-T-e-13x022	4001522	14	15,90				
STs2-T-e-13x028	4001523	10	16,80				


Kaifix ECplus Easy Connect · Łączenie doczołowe · samoprzylepne · dla otulin Kaiflex ST s2

Kolor: Czarny							
9 mm Grubość				13 mm Grubość			
Wymiar	Nr kat.	m/ karton	zł/ szt.	Wymiar	Nr kat.	m/ karton	zł/ szt.
EC+ns-09x006	4005015	1.125	2,62	EC+ns-13x006	4005036	680	3,17
EC+ns-09x010	4005016	950	2,88	EC+ns-13x010	4005037	560	3,57
EC+ns-09x012	4005017	800	3,06	EC+ns-13x012	4005038	500	3,80
EC+ns-09x015	4005018	660	3,40	EC+ns-13x015	4005039	450	4,08
EC+ns-09x018	4005019	600	3,62	EC+ns-13x018	4005040	370	4,40
EC+ns-09x022	4005020	470	4,03	EC+ns-13x022	4005041	335	4,80
EC+ns-09x028	4005021	375	4,67	EC+ns-13x028	4005042	260	5,61
EC+ns-09x035	4005022	290	5,52	EC+ns-13x035	4005043	210	6,58
EC+ns-09x042	4005023	240	6,44	EC+ns-13x042	4005044	175	7,74
EC+ns-09x048	4005024	210	7,18	EC+ns-13x048	4005045	160	8,53
EC+ns-09x054	4005025	190	8,20	EC+ns-13x054	4005046	150	9,53
EC+ns-09x060	4005026	180	8,94	EC+ns-13x060	4005047	120	10,73
EC+ns-09x064	4005027	180	9,11	EC+ns-13x064	4005048	120	11,55
EC+ns-09x076	4005028	150	11,47	EC+ns-13x076	4005049	115	13,20
EC+ns-09x089	4005029	120	14,05	EC+ns-13x089	4005050	100	15,82
EC+ns-09x108	4005030	80	19,04	EC+ns-13x108	4005051	80	20,21
EC+ns-09x114	4005031	80	20,21	EC+ns-13x114	4005052	80	23,44
EC+ns-09x125	4005032	55	25,20	EC+ns-13x125	4005053	55	27,16
EC+ns-09x133	4005033	50	26,91	EC+ns-13x133	4005054	50	28,64
EC+ns-09x140	4005034	50	28,26	EC+ns-13x140	4005055	50	30,90
EC+ns-09x160	4005035	45	30,79	EC+ns-13x160	4005056	45	30,98


Kaifix ECplus Easy Connect · Łączenie doczołowe · samoprzylepne · dla otulin Kaiflex ST s2

Kolor: Czarny							
19 mm Grubość				25 mm Grubość			
Wymiar	Nr kat.	m/ karton	zł/ szt.	Wymiar	Nr kat.	m/ karton	zł/ szt.
EC+ns-19x010	4005057	360	4,67				
EC+ns-19x012	4005058	300	4,99				
EC+ns-19x015	4005059	280	5,42				
EC+ns-19x018	4005060	215	5,93	EC+ns-25x018	4005078	155	7,82
EC+ns-19x022	4005061	215	6,38	EC+ns-25x022	4005079	125	8,73
EC+ns-19x028	4005062	165	7,38	EC+ns-25x028	4005080	115	10,12
EC+ns-19x035	4005063	145	8,65	EC+ns-25x035	4005081	100	11,37
EC+ns-19x042	4005064	120	9,96	EC+ns-25x042	4005082	80	12,70
EC+ns-19x048	4005065	115	11,03	EC+ns-25x048	4005083	70	14,61
EC+ns-19x054	4005066	90	12,39	EC+ns-25x054	4005084	70	15,20
EC+ns-19x060	4005067	90	13,26	EC+ns-25x060	4005085	65	17,11
EC+ns-19x064	4005068	90	13,79	EC+ns-25x064	4005086	60	17,51
EC+ns-19x076	4005069	70	17,91	EC+ns-25x076	4005087	50	21,34
EC+ns-19x089	4005070	70	19,58	EC+ns-25x089	4005088	40	26,97
EC+ns-19x108	4005071	70	23,99	EC+ns-25x108	4005089	30	31,28
EC+ns-19x114	4005072	55	26,35	EC+ns-25x114	4005090	30	32,41
EC+ns-19x125	4005073	50	27,84				
EC+ns-19x133	4005074	40	29,52				
EC+ns-19x140	4005075	40	31,19	EC+ns-25x140	4005091	25	34,25
EC+ns-19x160	4005076	30	32,61	EC+ns-25x160	4005092	25	36,31



Kaifix ECplus Easy Connect · Łączenie doczołowe · samoprzylepne · dla otulin Kaiflex ST s2

Kolor: Czarny							
		32 mm Grubość					
Wymiar	Nr kat.	m/ karton	zł/ szt.				
EC+ns-32x018	4005095	90	10,52				
EC+ns-32x022	4005096	90	11,26				
EC+ns-32x028	4005097	80	12,44				
EC+ns-32x035	4005098	75	14,47				
EC+ns-32x042	4005099	60	15,94				
EC+ns-32x048	4005100	55	17,61				
EC+ns-32x054	4005101	50	20,10				
EC+ns-32x060	4005102	45	21,78				
EC+ns-32x064	4005103	45	21,78				
EC+ns-32x070	4005104	40	23,78				
EC+ns-32x076	4005105	40	26,97				
EC+ns-32x089	4005106	30	31,43				
EC+ns-32x108	4005107	30	34,42				
EC+ns-32x114	4005108	25	35,64				
EC+ns-32x133	4005109	25	36,75				
EC+ns-32x140	4005110	20	37,66				
EC+ns-32x160	4005111	20	39,93				



Kaiflex ST Mata · w rolce

Kolor: Czarny

Grubość mm	Mata · w rolce 1 m szerokość · Śr. rolki: 40 cm · w kartonie				Mata · w rolce · samoprzylepna 1 m szerokość · Śr. rolki: 40 cm · w kartonie			
	Wymiar	Nr kat.	m ² /karton	zł/m ²	Wymiar	Nr kat.	m ² /karton	zł/m ²
6	ST-Sh-e-1m-40BX-06	4012754	18	67,11	ST-Sh-e-1m-40BX-06-SA	4012757	18	110,99
10	ST-Sh-e-1m-40BX-10	4001584	10	92,87	ST-Sh-e-1m-40BX-10-SA	4001588	10	134,04
13	ST-Sh-e-1m-40BX-13	4001585	8	111,64	ST-Sh-e-1m-40BX-13-SA	4001589	8	155,68
16	ST-Sh-e-1m-40BX-16	4012755	7	141,70	ST-Sh-e-1m-40BX-16-SA	4012758	7	184,76
19	ST-Sh-e-1m-40BX-19	4001586	6	161,18	ST-Sh-e-1m-40BX-19-SA	4001590	6	209,56
25	ST-Sh-e-1m-40BX-25	4012756	4	205,68	ST-Sh-e-1m-40BX-25-SA	4012759	4	251,84
32	ST-Sh-e-1m-40BX-32	4001587	3	261,03	ST-Sh-e-1m-40BX-32-SA	4012760	3	299,69

Grubość mm	Mata · w rolce 1 m szerokość · Śr. rolki: 53 cm · w kartonie				Mata · w rolce · samoprzylepna 1 m szerokość · Śr. rolki: 53 cm · w kartonie			
	Wymiar	Nr kat.	m ² /karton	zł/m ²	Wymiar	Nr kat.	m ² /karton	zł/m ²
6	ST-Sh-e-1m-53BX-06	4001537	30	67,11	ST-Sh-e-1m-53BX-06-SA	4001563	30	110,99
10	ST-Sh-e-1m-53BX-10	4001539	20	92,87	ST-Sh-e-1m-53BX-10-SA	4001564	20	134,04
13	ST-Sh-e-1m-53BX-13	4001540	14	111,64	ST-Sh-e-1m-53BX-13-SA	4001565	14	155,68
16	ST-Sh-e-1m-53BX-16	4001541	12	141,70	ST-Sh-e-1m-53BX-16-SA	4001566	12	184,76
19	ST-Sh-e-1m-53BX-19	4001542	10	161,18	ST-Sh-e-1m-53BX-19-SA	4001567	10	209,56
25	ST-Sh-e-1m-53BX-25	4001543	8	205,68	ST-Sh-e-1m-53BX-25-SA	4001568	8	251,84
32	ST-Sh-e-1m-53BX-32	4001544	6	261,03	ST-Sh-e-1m-53BX-32-SA	4001569	6	299,69
40	ST-Sh-e-1m-53BX-40	4012596	5,5	368,48	ST-Sh-e-1m-53BX-40-SA	4012597	5,5	422,64
50	ST-Sh-e-1m-53BX-50	4012226	4	447,06	ST-Sh-e-1m-53BX-50-SA	4012594	4	522,23



Kaiflex RT-ST Wkładka do obejmy chłodniczej · samoprzylepna

Kolor: Czarny									
13 mm Grubość					19 mm Grubość				
Ø zew. mm	Wymiar	Nr kat.	szt./ karton	zł/ szt.	Ø zew. mm	Wymiar	Nr kat.	szt./ karton	zł/ szt.
36,0	RT-ST13x010	4002234	52	18,53	48,0	RT-ST19x010	4002266	32	21,00
38,0	RT-ST13x012	4002235	48	18,61	50,0	RT-ST19x012	4002267	28	21,49
41,0	RT-ST13x015	4002236	40	18,91	53,0	RT-ST19x015	4002268	22	22,84
44,0	RT-ST13x018	4002237	32	19,52	56,0	RT-ST19x018	4002269	20	25,16
48,0	RT-ST13x022	4002238	32	21,11	60,0	RT-ST19x022	4002271	32	26,44
52,0	RT-ST13x025	4002239 *	46	22,95	65,0	RT-ST19x025	4002272 *	30	28,23
54,0	RT-ST13x028	4002240	40	24,37	66,0	RT-ST19x028	4002273	24	29,67
61,0	RT-ST13x035	4002242	30	26,05	73,0	RT-ST19x035	4002276	38	33,63
68,0	RT-ST13x042	4002243	46	27,96	80,0	RT-ST19x042	4002278	32	34,34
74,0	RT-ST13x048	4002244	34	31,41	86,0	RT-ST19x048	4002279	28	37,93
80,0	RT-ST13x054	4002246	32	34,11	93,0	RT-ST19x054	4002280	48	41,14
83,0	RT-ST13x057	4002247	28	35,85	95,0	RT-ST19x057	4002281	48	43,01
86,0	RT-ST13x060	4002248	56	37,32	98,0	RT-ST19x060	4002282	44	44,54
92,0	RT-ST13x064	4002249	48	39,72	104,0	RT-ST19x064	4002283	40	46,24
98,0	RT-ST13x070	4002251	44	43,24	110,0	RT-ST19x070	4002284	30	52,83
104,0	RT-ST13x076	4002252	40	47,30	116,0	RT-ST19x076	4002285	30	56,28
107,0	RT-ST13x080	4002253	36	52,28	119,0	RT-ST19x080	4002286	28	61,73
117,0	RT-ST13x089	4002254	30	56,76	129,0	RT-ST19x089	4002287	26	66,39
136,0	RT-ST13x108	4002256 *	22	66,83	148,0	RT-ST19x108	4002288 *	18	77,14
144,0	RT-ST13x114	4002257	18	71,50	156,0	RT-ST19x114	4002289	16	82,58
152,0	RT-ST13x125	4002258 *	16	83,42	167,0	RT-ST19x125	4002290 *	12	99,35
163,0	RT-ST13x133	4002259 *	14	89,09	175,0	RT-ST19x133	4002291 *	12	108,66
170,0	RT-ST13x140	4002260	14	96,70	182,0	RT-ST19x140	4002292	12	111,91
190,0	RT-ST13x160	4002261	12	116,82	202,0	RT-ST19x160	4002293	8	130,39

Szerokość wkładki do obejmy chłodniczej: <133 mm: 50 mm - ≥133 mm: 100 mm

Nośność jest wystarczająca, o ile odległości montażowe są zgodne z normą DIN 1988 lub krótsze.

* Towar nie jest towarem dostępnym z magazynu, termin dostawy na zapytanie.



Kaiflex RT-ST Wkładka do obejmy chłodniczej · samoprzylepna

Kolor: Czarny									
25 mm Grubość					32 mm Grubość				
Ø zew. mm	Wymiar	Nr kat.	szt./ karton	zł/ szt.	Ø zew. mm	Wymiar	Nr kat.	szt./ karton	zł/ szt.
68,0	RT-ST25x018	4002304	24	28,60	82,0	RT-ST32x018	4002329	28	39,02
72,0	RT-ST25x022	4002305	38	36,27	86,0	RT-ST32x022	4002330	24	40,28
78,0	RT-ST25x028	4002306	32	38,64	92,0	RT-ST32x028	4002331	24	42,81
85,0	RT-ST25x035	4002307	26	43,42	99,0	RT-ST32x035	4002332	18	50,09
92,0	RT-ST25x042	4002308	22	49,13	106,0	RT-ST32x042	4002333	40	53,51
98,0	RT-ST25x048	4002309	44	54,77	112,0	RT-ST32x048	4002334	30	59,16
104,0	RT-ST25x054	4002310	40	58,56	118,0	RT-ST32x054	4002335	30	64,24
					121,0	RT-ST32x057	4005816 *	28	66,30
110,0	RT-ST25x060	4002311	36	59,27	124,0	RT-ST32x060	4002336	26	68,01
116,0	RT-ST25x064	4002312	30	62,80	130,0	RT-ST32x064	4002337	24	73,65
122,0	RT-ST25x070	4005815 *	28	68,74	136,0	RT-ST32x070	4002338	22	77,46
128,0	RT-ST25x076	4002313	24	72,91	142,0	RT-ST32x076	4002339	22	88,77
					146,0	RT-ST32x080	4002340	16	94,68
141,0	RT-ST25x089	4002314	22	85,94	155,0	RT-ST32x089	4002341	16	101,55
160,0	RT-ST25x108	4002315 *	16	98,87	174,0	RT-ST32x108	4002343 *	12	114,69
168,0	RT-ST25x114	4002316	12	103,25	182,0	RT-ST32x114	4002344	12	122,11
					201,0	RT-ST32x133	4002345 *	8	138,53
194,0	RT-ST25x140	4002318	12	133,66	208,0	RT-ST32x140	4002346	8	148,38
					228,0	RT-ST32x160	4002347	6	174,34

Szerokość wkładki do obejmy chłodniczej: <133 mm: 50 mm · ≥133 mm: 100 mm

Nośność jest wystarczająca, o ile odległości montażowe są zgodne z normą DIN 1988 lub krótsze.

* Towar nie jest towarem dostępnym z magazynu, termin dostawy na zapytanie.



Kaiflex Duct plus Mata · w rolce · samoprzylepna · B-s3, d0

Kolor: Czarny					
Grubość mm	Mata · w rolce · samoprzylepna 1 m szerokość				
	Wymiar	Nr kat.	Długość m	m ² /rolka	zł/m ²
6	DUCT+-06-SK-1,5	4010630 *	30	45,0	93,59
10	DUCT+-10-SK-1,5	4010632	20	30,0	127,20
12	DUCT+-12-SK-1,5	4010633 *	15	22,5	146,25
20	DUCT+-20-SK-1,5	4010635	10	15,0	200,13
30	DUCT+-30-SK-1,5	4010637	6	9,0	277,09

* Materiał na specjalne życzenie klienta.

Kaiflex Duct Mata · w rolce · samoprzylepna · Euroclass E

Kolor: Czarny					
Grubość mm	Mata · w rolce · samoprzylepna 1 m szerokość				
	Wymiar	Nr kat.	Długość m	m ² /rolka	zł/m ²
6	DUCT-06-SK-1,0	4012764 *	18	18	73,92
8	DUCT-08-SK-1,0	4012765 *	14	14	88,72
10	DUCT-10-SK-1,0	4012766	10	10	100,50
12	DUCT-12-SK-1,0	4012767	8	8	118,90
15	DUCT-15-SK-1,0	4012768 *	7	7	136,78
20	DUCT-20-SK-1,0	4012769	6	6	166,78
25	DUCT-25-SK-1,0	4012770 *	4	4	192,13
30	DUCT-30-SK-1,0	4012771	3	3	226,21

* Materiał na specjalne życzenie klienta.



Kaiflex Duct ALU Mata · w rolce · pokryta folią ALU · samoprzylepna · Euroclass E

Kolor: Czarny

Grubość mm	Mata · w rolce · samoprzylepna 1,5 m szerokość				
	Wymiar	Nr kat.	Długość m	m ² /rolka	zł/m ²
6	DUCT-ALU-06-SK-1,5	4010568 *	30	45,0	134,71
10	DUCT-ALU-10-SK-1,5	4010570	20	30,0	163,10
12	DUCT-ALU-12-SK-1,5	4010571	15	22,5	187,80
15	DUCT-ALU-15-SK-1,5	4010572 *	12	18,0	201,45
20	DUCT-ALU-20-SK-1,5	4010573	10	15,0	230,30
25	DUCT-ALU-25-SK-1,5	4010574 *	8	12,0	253,68
30	DUCT-ALU-30-SK-1,5	4010575	6	9,0	285,02

Grubość mm	Mata · w rolce · samoprzylepna 1 m szerokość				
	Wymiar	Nr kat.	Długość m	m ² /rolka	zł/m ²
6	DUCT-ALU-06-SK-1,0	4012772 *	18	18	122,48
10	DUCT-ALU-10-SK-1,0	4012774	10	10	151,73
12	DUCT-ALU-12-SK-1,0	4012775	8	8	174,70
15	DUCT-ALU-15-SK-1,0	4012776 *	7	7	187,39
20	DUCT-ALU-20-SK-1,0	4012777	6	6	219,33
25	DUCT-ALU-25-SK-1,0	4012778 *	4	4	241,59
30	DUCT-ALU-30-SK-1,0	4012779	3	3	271,43

* Materiał na specjalne życzenie klienta.


Kaiflex EPDMplus Otulina

Kolor: Czarny · Długość: 2 m

10 mm Grubość				13 mm Grubość			
Wymiar	Nr kat.	m/ karton	zł/ m	Wymiar	Nr kat.	m/ karton	zł/ m
EPDMp-10x010	4003230 *	220	26,81	EPDMp-13x010	4003245 *	152	31,88
EPDMp-10x012	4003231 *	190	28,26	EPDMp-13x012	4003246 *	136	33,67
EPDMp-10x015	4003232 *	172	29,05	EPDMp-13x015	4003247	120	38,02
EPDMp-10x018	4003233 *	136	31,28	EPDMp-13x018	4003248	106	41,27
EPDMp-10x022	4003234 *	112	34,72	EPDMp-13x022	4003249	84	45,05
EPDMp-10x028	4003235 *	84	39,05	EPDMp-13x028	4003250	72	48,62
EPDMp-10x035	4003237 *	60	43,86	EPDMp-13x035	4003251	50	59,12
EPDMp-10x042	4003238 *	50	50,34	EPDMp-13x042	4003252	40	66,01
EPDMp-10x048	4003239 *	40	58,39	EPDMp-13x048	4003253	36	79,53
EPDMp-10x054	4003240 *	36	68,38	EPDMp-13x054	4003254	32	95,58
EPDMp-10x060	4003242 *	32	85,18	EPDMp-13x060	4003256	24	104,66
EPDMp-10x076	4003243 *	20	110,84	EPDMp-13x076	4003257	18	140,21
EPDMp-10x089	4003244 *	18	123,22	EPDMp-13x089	4003258	16	156,77

19 mm Grubość				25 mm Grubość			
Wymiar	Nr kat.	m/ karton	zł/ m	Wymiar	Nr kat.	m/ karton	zł/ m
EPDMp-19x012	4003259 *	78	58,51	EPDMp-25x012	4003273 *	50	96,93
EPDMp-19x015	4003260 *	72	70,55	EPDMp-25x015	4003274 *	50	107,85
EPDMp-19x018	4003261	60	72,65	EPDMp-25x018	4003275	40	109,63
EPDMp-19x022	4003262	56	83,00	EPDMp-25x022	4003276	36	119,51
EPDMp-19x028	4003263	40	99,03	EPDMp-25x028	4003277	32	136,42
EPDMp-19x035	4003264	36	114,70	EPDMp-25x035	4003278	24	153,80
EPDMp-19x042	4003265	32	129,42	EPDMp-25x042	4003279	22	168,73
EPDMp-19x048	4003266	24	157,83	EPDMp-25x048	4003280	18	195,72
EPDMp-19x054	4003267	22	178,40	EPDMp-25x054	4003281	18	216,80
EPDMp-19x060	4003269	18	199,55	EPDMp-25x060	4003283	16	238,89
EPDMp-19x076	4003270	16	245,92	EPDMp-25x076	4003285	12	284,87
EPDMp-19x089	4003271	12	271,52	EPDMp-25x089	4003287	12	309,30

* Towar nie jest towarem dostępnym z magazynu, termin dostawy na zapytanie.

W celu uzyskania informacji o zakresie innych wymiarów, prosimy o kontakt z naszym centrum obsługi klienta.


Kaiflex EPDMplus Otulina

Kolor: Czarny · Długość: 2 m							
32 mm Grubość							
Wymiar	Nr kat.	m/ karton	zł/ m				
EPDMp-32x012	4003289 *	50	130,89				
EPDMp-32x015	4003290 *	50	145,57				
EPDMp-32x018	4003291	40	148,01				
EPDMp-32x022	4003292	36	161,26				
EPDMp-32x028	4003293	32	184,17				
EPDMp-32x035	4003294	24	207,66				
EPDMp-32x042	4003295	22	227,83				
EPDMp-32x048	4003296	18	264,14				
EPDMp-32x054	4003297	18	292,65				
EPDMp-32x060	4003299	16	322,49				
EPDMp-32x076	4003301	12	384,59				
EPDMp-32x089	4003302	12	417,54				

* Towar nie jest towarem dostępnym z magazynu, termin dostawy na zapytanie.

W celu uzyskania informacji o zakresie innych wymiarów, prosimy o kontakt z naszym centrum obsługi klienta.

Kaiflex EPDMplus Mata · w rolce

Kolor: Czarny					
Grubość mm	Mata · w rolce 1 m szerokość				
	Wymiar	Nr kat.	m ² / karton	zł/ m ²	
6	EPDMp-06-RL	4003333	18	258,96	
10	EPDMp-10-RL	4003334	10	394,12	
13	EPDMp-13-RL	4003336	8	476,55	
19	EPDMp-19-RL	4003338	6	634,56	
25	EPDMp-25-RL	4003340	4	769,18	
32	EPDMp-32-RL	4003341	3	922,98	


Kaiflex HFplus s2 Otulina · niepowlekania
Kolor: Czarny / Antracyt · Długość: 1,2 m

9 mm Grubość				13 mm Grubość			
Wymiar	Nr kat.	m/ karton	zł/ m	Wymiar	Nr kat.	m/ karton	zł/ m
HF+s2-09x010-1,2	4000807 *	228,0	14,56	HF+s2-13x010-1,2	4000820 *	134,4	19,98
HF+s2-09x012-1,2	4000808 *	192,0	15,50	HF+s2-13x012-1,2	4000821 *	120,0	21,25
HF+s2-09x015-1,2	4000809 *	158,4	16,04	HF+s2-13x015-1,2	4000822	108,0	23,85
HF+s2-09x018-1,2	4000810 *	144,0	17,15	HF+s2-13x018-1,2	4000823 *	88,8	25,83
HF+s2-09x022-1,2	4000811 *	112,8	19,21	HF+s2-13x022-1,2	4000824	80,4	28,11
HF+s2-09x028-1,2	4000812 *	90,0	21,57	HF+s2-13x028-1,2	4000825	57,6	30,48
HF+s2-09x035-1,2	4000813 *	69,6	24,12	HF+s2-13x035-1,2	4000826	50,4	36,86
HF+s2-09x042-1,2	4000814 *	57,6	27,55	HF+s2-13x042-1,2	4000827	42,0	41,32
HF+s2-09x048-1,2	4000815 *	50,4	31,97	HF+s2-13x048-1,2	4000828	38,4	49,68
				HF+s2-13x054-1,2	4000829	28,8	59,67
				HF+s2-13x060-1,2	4000830	28,8	65,58
				HF+s2-13x076-1,2	4000831	25,2	82,48
				HF+s2-13x089-1,2	4000832	24,0	98,29

19 mm Grubość				25 mm Grubość			
Wymiar	Nr kat.	m/ karton	zł/ m	Wymiar	Nr kat.	m/ karton	zł/ m
HF+s2-19x010-1,2	4000833 *	72,0	34,16				
HF+s2-19x012-1,2	4000834 *	72,0	36,10				
HF+s2-19x015-1,2	4000835 *	67,2	43,53	HF+s2-25x015-1,2	4000846 *	39,6	92,40
HF+s2-19x018-1,2	4000836 *	50,4	44,88	HF+s2-25x018-1,2	4000847	36,0	94,37
HF+s2-19x022-1,2	4000837	49,2	51,06	HF+s2-25x022-1,2	4000848	30,0	102,47
HF+s2-19x028-1,2	4000838	39,6	61,09	HF+s2-25x028-1,2	4000849	27,6	119,22
HF+s2-19x035-1,2	4000839	30,0	70,77	HF+s2-25x035-1,2	4000850	24,0	140,70
HF+s2-19x042-1,2	4000840	26,4	79,93	HF+s2-25x042-1,2	4000851	19,2	158,41
HF+s2-19x048-1,2	4000841	22,8	97,54	HF+s2-25x048-1,2	4000852 *	16,8	183,57
HF+s2-19x054-1,2	4000842	21,6	110,18	HF+s2-25x054-1,2	4000853	16,8	207,75
HF+s2-19x060-1,2	4000843	19,2	123,34	HF+s2-25x060-1,2	4000854	14,4	214,95
HF+s2-19x076-1,2	4000844	14,4	153,85	HF+s2-25x076-1,2	4000855	12,0	261,92
HF+s2-19x089-1,2	4000845	12,0	168,36	HF+s2-25x089-1,2	4000856	9,6	275,39

* Towar nie jest towarem dostępnym z magazynu, termin dostawy na zapytanie.

W celu uzyskania informacji o zakresie innych wymiarów, prosimy o kontakt z naszym centrum obsługi klienta.



Kaiflex HFplus s2 Otulina · niepowlekana

Kolor: Czarny / Antracyt · Długość: 1,2 m							
32 mm Grubość							
Wymiar	Nr kat.	m/ karton	zł/ m				
HF+s2-32x015-1,2	4000857 *	21,6	124,21				
HF+s2-32x018-1,2	4000858 *	21,6	126,82				
HF+s2-32x022-1,2	4000859 *	21,6	137,75				
HF+s2-32x028-1,2	4000860 *	19,2	160,26				
HF+s2-32x035-1,2	4000861 *	18,0	184,37				
HF+s2-32x042-1,2	4000862 *	14,4	209,71				
HF+s2-32x048-1,2	4000863 *	13,2	250,73				
HF+s2-32x054-1,2	4000864 *	10,8	254,69				
HF+s2-32x060-1,2	4000865 *	10,8	295,69				
HF+s2-32x076-1,2	4000866 *	8,4	357,77				
HF+s2-32x089-1,2	4000867 *	7,2	376,17				

* Towar nie jest towarem dostępnym z magazynu, termin dostawy na zapytanie.

W celu uzyskania informacji o zakresie innych wymiarów, prosimy o kontakt z naszym centrum obsługi klienta.

Kaiflex HFplus s2 Mata · niepowlekana · w rolce

Kolor: Czarny / Antracyt										
Grubość mm	Mata · w rolce 1,2 m szerokość · Śr. rolki: 40 cm · w kartonie					Mata · w rolce · samoprzylepna 1,2 m szerokość · Śr. rolki: 40 cm · w kartonie				
	Wymiar	Nr kat.	m/ rolka	m ² / rolka	zł/ m ²	Wymiar	Nr kat.	m/ rolka	m ² / rolka	zł/ m ²
6	HF+s2-06-RL40-1,2	4000868 *	18,0	21,6	175,98	HF+s2-06-RL40-1,2-SK	4000874 *	18,0	21,6	221,50
10	HF+s2-10-RL40-1,2	4000869 *	10,0	12,0	218,33	HF+s2-10-RL40-1,2-SK	4000875 *	10,0	12,0	264,13
13	HF+s2-13-RL40-1,2	4000870	8,0	9,6	258,81	HF+s2-13-RL40-1,2-SK	4000876	8,0	9,6	317,26
19	HF+s2-19-RL40-1,2	4000871	6,0	7,2	400,02	HF+s2-19-RL40-1,2-SK	4000877	6,0	7,2	442,80
25	HF+s2-25-RL40-1,2	4000872	4,0	4,8	493,02	HF+s2-25-RL40-1,2-SK	4000878	4,0	4,8	534,46
32	HF+s2-32-RL40-1,2	4000873	3,0	3,6	544,08	HF+s2-32-RL40-1,2-SK	4000879	3,0	3,6	585,68

* Towar nie jest towarem dostępnym z magazynu, termin dostawy na zapytanie.

W celu uzyskania informacji o zakresie innych wymiarów, prosimy o kontakt z naszym centrum obsługi klienta.



Kaisound 240 Mata · płyta

Kolor: Czarny										
Grubość warstwy izolacji mm	Mata · płyta 1,20 x 0,84 m (= 1,00 m ²)					Mata · płyta · samoprzylepna 1,20 x 0,84 m (= 1,00 m ²)				
	Wymiar	Nr kat.	szt./karton	m ² /karton	zł/m ²	Wymiar	Nr kat.	szt./karton	m ² /karton	zł/m ²
6	KS240-06-PL-M	4010596 *	16	16	220,60	KS240-06-PL-SK-M	4010608 *	16	16	297,84
10	KS240-10-PL-M	4010597 *	10	10	363,73	KS240-10-PL-SK-M	4010609 *	10	10	440,97
15	KS240-15-PL-M	4010598 *	6	6	551,23	KS240-15-PL-SK-M	4010610 *	6	6	628,46
20	KS240-20-PL-M	4010599 *	5	5	716,54	KS240-20-PL-SK-M	4010611 *	5	5	793,78
25	KS240-25-PL-M	4010600 *	4	4	881,85	KS240-25-PL-SK-M	4010612 *	4	4	959,09
50	KS240-50-PL-M	4010601 *	2	2	1763,70	KS240-50-PL-SK-M	4010613 *	2	2	1840,93

* Towar nie jest towarem dostępnym z magazynu, termin dostawy na zapytanie.

Kaisound 140 Mata · płyta

Kolor: Czarny										
Grubość warstwy izolacji mm	Mata · płyta 1,20 x 0,84 m (= 1,00 m ²)					Mata · płyta · samoprzylepna 1,20 x 0,84 m (= 1,00 m ²)				
	Wymiar	Nr kat.	szt./karton	m ² /karton	zł/m ²	Wymiar	Nr kat.	szt./karton	m ² /karton	zł/m ²
6	KS140-06-PL-M	4010584 *	16	16	165,31	KS140-06-PL-SK-M	4010620 *	16	16	242,63
10	KS140-10-PL-M	4010585 *	10	10	272,78	KS140-10-PL-SK-M	4010375 *	10	10	350,01
15	KS140-15-PL-M	4010586 *	6	6	413,28	KS140-15-PL-SK-M	4010621 *	6	6	490,51
20	KS140-20-PL-M	4010587 *	5	5	537,51	KS140-20-PL-SK-M	4010376 *	5	5	614,74
25	KS140-25-PL-M	4010588 *	4	4	661,41	KS140-25-PL-SK-M	4010622 *	4	4	738,65
50	KS140-50-PL-M	4010589 *	2	2	1322,82	KS140-50-PL-SK-M	4010623 *	2	2	1400,04

* Towar nie jest towarem dostępnym z magazynu, termin dostawy na zapytanie.

Taśmy samoprzylepne

Opis	Nr kat.	Szerokość mm	rolek/karton	zł/rolkę
Protect BLACK Taśma klejąca butylowa · 25 m długość	4004685	50	2	295,07
	4004686	100	1	580,46



Kaivenience AB Mata · powlekana (gruba folia) · płyta

Kolor: Czarny / Antracyt					
Grubość mm	Mata · płyta 1,18 x 0,83 m (≈ 1,00 m ²)				
	Wymiar	Nr kat.	szt./karton	m ² /karton	zł/m ²
5	KVAB-05-PL-S	4013002	3	≈ 3	197,19
10	KVAB-10-PL-S	4013000	2	≈ 2	207,56

* Towar nie jest towarem dostępnym z magazynu, termin dostawy na zapytanie.

Większe opakowania i mata samoprzylepna dostępne na zamówienie.

Kaivenience AB-ALU Mata · powlekana (gruba i aluminiowa folia) · płyta

Kolor: Czarny / Antracyt / Srebrzysty					
Grubość mm	Mata · płyta 1,18 x 0,83 m (≈ 1,00 m ²)				
	Wymiar	Nr kat.	szt./karton	m ² /karton	zł/m ²
5	KVABA-05-PL-S	4013012 *	3	≈ 3	218,56
10	KVABA-10-PL-S	4013010 *	2	≈ 2	230,07

* Towar nie jest towarem dostępnym z magazynu, termin dostawy na zapytanie.

Większe opakowania i mata samoprzylepna dostępne na zamówienie.

Taśmy samoprzylepne

Opis	Nr kat.	Szerokość mm	rolek/karton	zł/rolkę
Protect BLACK Taśma klejąca butylowa · 25 m długość	4004685	50	2	295,07
	4004686	100	1	580,46
Protect Alu Taśma samoprzylepna · 25 m długość	4004401 *	19	36	89,70
Protect Alu Taśma samoprzylepna · 50 m długość	4004402	50	24	223,95
	4004403	100	12	440,58

* Towar nie jest towarem dostępnym z magazynu, termin dostawy na zapytanie.



Protect (R) HD Płaszcz w rolce

Opis	Nr kat.	Grubość mm	Szerokość mm	m/rolka	zł/m ²
Płaszcz w rolce	4012911 *	1,4	1.025	20	590,08

* Towar nie jest towarem dostępnym z magazynu, termin dostawy na zapytanie.



Kaiflex Protect F-BLACK Otulina ST · Powłoka F-BLACK · samoprzylepna

Kolor: Czarny · Długość: 1 m

13 mm Grubość				19 mm Grubość			
Wymiar	Nr kat.	m/ karton	zł/ m	Wymiar	Nr kat.	m/ karton	zł/ m
FB-ST13x015	4007513 *	77	77,35	FB-ST19x015	4006671 *	43	88,44
FB-ST13x018	4007514 *	65	78,99	FB-ST19x018	4007529 *	39	90,56
FB-ST13x022	4006669 *	55	81,64	FB-ST19x022	4001834 *	37	93,27
FB-ST13x028	4001828 *	43	85,26	FB-ST19x028	4001835 *	29	102,87
FB-ST13x035	4001829 *	38	93,64	FB-ST19x035	4001836 *	24	108,93
FB-ST13x042	4007517 *	28	98,99	FB-ST19x042	4001837 *	20	114,28
FB-ST13x048	4001830 *	24	106,66	FB-ST19x048	4005767 *	15	123,21
FB-ST13x054	4006670 *	23	111,11	FB-ST19x054	4001838 *	15	127,83
FB-ST13x060	4001831 *	20	114,28	FB-ST19x060	4006672 *	14	132,40
FB-ST13x064	4007520 *	20	124,45	FB-ST19x064	4007532 *	14	144,59
FB-ST13x070	4005766 *	20	132,34	FB-ST19x070	4007533 *	14	149,63
FB-ST13x076	4007521 *	17	137,98	FB-ST19x076	4007534 *	14	153,67
FB-ST13x080	4007522 *	15	141,36	FB-ST19x080	4007535 *	13	158,45
FB-ST13x089	4001832 *	15	146,19	FB-ST19x089	4007536 *	11	165,42
FB-ST13x108 °	4007524 *	14	186,16	FB-ST19x108 °	4007537 *	10	198,21
FB-ST13x114 °	4007525 *	14	189,29	FB-ST19x114 °	4007538 *	9	209,45
FB-ST13x125 °	4007526 *	10	277,37	FB-ST19x125 °	4007539 *	9	314,43
FB-ST13x140 °	4001833 *	9	289,33	FB-ST19x140 °	4007541 *	5	329,33
FB-ST13x160 °	4007528 *	8	359,17	FB-ST19x160 °	4007542 *	4	401,52

* Towar nie jest towarem dostępnym z magazynu, termin dostawy na zapytanie.

° Forma dostawy: Z rozcięciem (bez zamknięcia samoprzylepnego)



Kaiflex Protect F-BLACK Otulina ST · Powłoka F-BLACK · samoprzylepna

Kolor: Czarny · Długość: 1 m

		25 mm Grubość					
Wymiar	Nr kat.	m/ karton	zł/ m				
FB-ST25x018 [◊]	4007543 *	25	111,23				
FB-ST25x022 [◊]	4007544 *	21	114,10				
FB-ST25x028	4001839 *	20	119,77				
FB-ST25x035	4007545 *	16	126,66				
FB-ST25x042	4005768 *	12	131,02				
FB-ST25x048	4006674 *	12	147,68				
FB-ST25x054	4001840 *	11	168,96				
FB-ST25x060	4001841 *	11	179,15				
FB-ST25x064	4007546 *	9	195,79				
FB-ST25x070	4007547 *	9	199,39				
FB-ST25x076	4001842 *	9	202,89				
FB-ST25x089	4001843 *	7	220,14				
FB-ST25x108 [◊]	4007548 *	5	251,41				
FB-ST25x114 [◊]	4007549 *	5	261,11				
FB-ST25x140 [◊]	4007550 *	3	411,02				

* Towar nie jest towarem dostępnym z magazynu, termin dostawy na zapytanie.

◊ Forma dostawy: Z rozcięciem (bez zamknięcia samoprzylepnego)



Kaiflex Protect F-BLACK Mata ST · Powłoka F-BLACK · w rolce

Kolor: Czarny				
Grubość mm	Mata · w rolce 1 m szerokość			
	Wymiar	Nr kat.	m ² /rolka	zł/m ²
10	FB-ST10-RL	4001844 *	20	173,12
13	FB-ST13-RL	4001846 *	14	184,81
19	FB-ST19-RL	4001848	10	216,66
25	FB-ST25-RL	4001850 *	8	247,49
32	FB-ST32-RL	4001852 *	6	301,60

* Towar nie jest towarem dostępnym z magazynu, termin dostawy na zapytanie.

Do izolacji kanałów i zbiorników – od średnicy rury 323 mm możliwe również dla rurociągów.

Kaiflex Protect F-BLACK Akcesoria

Opis	Nr kat.	Kolor	szt./karton	zł/szt.
Masa uszczelniająca · Zawartość: 290 ml ⁰	4004680	Przeźroczysty	12	117,29
	4004679	Czarny	12	117,29
Opis	Nr kat.	Szerokość mm	m/rolka	zł/m ²
Płaszcz w rolce	4003843	1.060	25	91,08
Płaszcz w rolce · samoprzylepna	4003847	1.060	25	110,18
Opis	Nr kat.	Szerokość mm	rolek/karton	zł/rolkę
Protect BLACK Taśma klejąca butylowa · 25 m długość	4004685	50	50	295,07
	4004686	100	100	580,46

⁰ 1 tuba starczy na ok. 8 m uszczelnienia spoiny.

W przypadku powstawania fałd należy użyć masy uszczelniającej Protect. Nanosić paskiem o szerokości minimalnej 10 mm i grubości minimalnej 3 mm (patrz instrukcja montażu Kaiflex).



Kaiflex Protect Alu-TEC Otulina ST · Powłoka Alu-TEC · samoprzylepna

Kolor: Srebrzysty · Długość: 1 m

13 mm Grubość				19 mm Grubość			
Wymiar	Nr kat.	m/ karton	zł/ m	Wymiar	Nr kat.	m/ karton	zł/ m
AT-ST13x015	4000739 *	77	80,52	AT-ST19x015	4000754 *	43	92,06
AT-ST13x018	4000740 *	65	82,24	AT-ST19x018	4007389 *	39	94,29
AT-ST13x022	4000741 *	55	85,00	AT-ST19x022	4000755 *	37	97,11
AT-ST13x028	4000742 *	43	88,77	AT-ST19x028	4000757 *	29	107,10
AT-ST13x035	4000743 *	38	97,50	AT-ST19x035	4000758 *	24	113,40
AT-ST13x042	4000744 *	28	103,05	AT-ST19x042	4000759 *	20	118,96
AT-ST13x048	4000745 *	24	111,06	AT-ST19x048	4000760 *	15	128,27
AT-ST13x054	4000746 *	23	115,69	AT-ST19x054	4000761 *	15	133,09
AT-ST13x060	4000748 *	20	118,96	AT-ST19x060	4000762 *	14	137,84
AT-ST13x064	4000749 *	20	129,57	AT-ST19x064	4000763 *	14	150,52
AT-ST13x070	4005601 *	20	137,79	AT-ST19x070	4000764 *	14	155,79
AT-ST13x076	4000750 *	17	143,65	AT-ST19x076	4000765 *	14	160,00
AT-ST13x080	4005602 *	15	147,18	AT-ST19x080	4000766 *	13	164,97
AT-ST13x089	4000751 *	15	152,20	AT-ST19x089	4000767 *	11	172,22
AT-ST13x108 [°]	4006531*	14	193,81				
AT-ST13x114 [°]	4000752 *	14	197,08	AT-ST19x114 [°]	4000768 *	9	218,06
AT-ST13x125 [°]	4000753 *	10	288,78	AT-ST19x125 [°]	4005606 *	9	327,37
AT-ST13x140 [°]	4006532 *	9	301,22	AT-ST19x140 [°]	4007391 *	5	342,87
AT-ST13x160 [°]	4007388 *	8	373,95	AT-ST19x160 [°]	4005607 *	4	418,03

* Towar nie jest towarem dostępnym z magazynu, termin dostawy na zapytanie.

[°] Forma dostawy: Z rozcięciem (bez zamknięcia samoprzylepnego)



Kaiflex Protect Alu-TEC Otulina ST · Powłoka Alu-TEC · samoprzylepna

Kolor: Srebrzysty · Długość: 1 m

		25 mm Grubość					
Wymiar	Nr kat.	m/ karton	zł/ m				
AT-ST25x018	4007392 *	25	115,82				
AT-ST25x022	4000770 *	21	118,81				
AT-ST25x028	4000771 *	20	124,69				
AT-ST25x035	4000772 *	16	131,87				
AT-ST25x042	4000773 *	12	136,42				
AT-ST25x048	4000774 *	12	153,74				
AT-ST25x054	4000775 *	11	175,88				
AT-ST25x060	4000776 *	11	186,52				
AT-ST25x064	4007393 *	9	203,86				
AT-ST25x070	4000777 *	9	207,58				
AT-ST25x076	4000778 *	9	211,24				
AT-ST25x089	4000779 *	7	229,21				
AT-ST25x108 °	4005608 *	5	261,75				
AT-ST25x114 °	4007394 *	5	271,84				
AT-ST25x140 °	4007395 *	3	427,93				

* Towar nie jest towarem dostępnym z magazynu, termin dostawy na zapytanie.

° Forma dostawy: Z rozcięciem (bez zamknięcia samoprzylepnego)



Kaiflex Protect Alu-TEC Mata ST · Powłoka Alu-TEC · w rolce

Kolor: Srebrzysty								
Grubość mm	Mata · w rolce 1 m szerokość				Mata · w rolce · samoprzylepna 1 m szerokość			
	Wymiar	Nr kat.	m ² /rolka	zł/m ²	Wymiar	Nr kat.	m ² /rolka	zł/m ²
10	AT-ST10-RL	4000794	20	180,23	AT-ST10-RL-SK	4002761	20	216,10
13	AT-ST13-RL	4000795	14	192,40	AT-ST13-RL-SK	4002762	14	228,36
19	AT-ST19-RL	4000796	10	225,58	AT-ST19-RL-SK	4002763	10	261,88
25	AT-ST25-RL	4000797	8	257,67	AT-ST25-RL-SK	4002764	8	294,30
32	AT-ST32-RL	4000798	6	314,01	AT-ST32-RL-SK	4002765	6	351,24

Do izolacji kanałów i zbiorników – od średnicy rury 323 mm możliwe również dla rurociągów.

Kaiflex Protect Alu-TEC Akcesoria

Opis	Nr kat.	Kolor	szt./karton	zł/szt.
Masa uszczelniająca · Zawartość: 290 ml ⁰	4004680	Przeźroczysty	12	117,29
	4004679	Szary	12	117,29
Opis	Nr kat.	Szerokość mm	m/rolka	zł/m ²
Płaszcz w rolce	4003844	1.060	25	94,84
Płaszcz w rolce · samoprzylepna	4003845	1.060	25	113,79
Opis	Nr kat.	Szerokość mm	rolek/karton	zł/rolkę
Protect Alu Taśma klejąca butylowa · 25 m długość	4004681	20	30	139,01
	4004682	50	12	347,14
	4004684	100	6	682,89
Protect Alu Taśma samoprzylepna · 25 m długość	4004401 *	19	36	89,70
	4004402	50	24	223,95
Protect Alu Taśma samoprzylepna · 50 m długość	4004403	100	12	440,58

* Towar nie jest towarem dostępnym z magazynu, termin dostawy na zapytanie.

⁰ 1 tuba starczy na ok. 8 m uszczelnienia spoiny.

W przypadku powstawania fałd należy użyć masy uszczelniającej Protect. Nanosić paskiem o szerokości minimalnej 10 mm i grubości minimalnej 3 mm (patrz instrukcja montażu Kaiflex).



Kaiflex Protect Alu-NET Otulina ST · Powłoka Alu-NET · samoprzylepna

Kolor: Srebrzysty · Długość: 1 m

13 mm Grubość				19 mm Grubość			
Wymiar	Nr kat.	m/ karton	zł/ m	Wymiar	Nr kat.	m/ karton	zł/ m
AN-ST13x015	4006730 *	77	68,45	AN-ST19x015	4007687 *	43	78,26
AN-ST13x018	4006731 *	65	69,91	AN-ST19x018	4002719 *	39	80,14
AN-ST13x022	4002709 *	55	72,24	AN-ST19x022	4002720 *	37	82,54
AN-ST13x028	4002710 *	43	75,46	AN-ST19x028	4002722 *	29	91,02
AN-ST13x035	4002711 *	38	82,88	AN-ST19x035	4002723 *	24	96,38
AN-ST13x042	4002712 *	28	87,61	AN-ST19x042	4002724 *	20	101,13
AN-ST13x048	4002713 *	24	94,40	AN-ST19x048	4002725 *	15	109,02
AN-ST13x054	4005842 *	23	98,35	AN-ST19x054	4002726 *	15	113,11
AN-ST13x060	4002715 *	20	101,13	AN-ST19x060	4002727 *	14	117,19
AN-ST13x064	4006733 *	20	110,14	AN-ST19x064	4002728 *	14	127,95
AN-ST13x070	4007679 *	20	117,13	AN-ST19x070	4005843 *	14	132,42
AN-ST13x076	4002716 *	17	122,11	AN-ST19x076	4002729 *	14	135,99
AN-ST13x080	4007680 *	15	125,10	AN-ST19x080	4007689 *	13	140,22
AN-ST13x089	4002717 *	15	129,36	AN-ST19x089	4002730 *	11	146,40
AN-ST13x108 [◊]	4007682 *	14	164,74	AN-ST19x108 [◊]	4002731 *	10	175,41
AN-ST13x114 [◊]	4002718 *	14	167,52	AN-ST19x114 [◊]	4007691 *	9	185,35
AN-ST13x125 [◊]	4007683 *	10	245,47	AN-ST19x125 [◊]	4007692 *	9	278,25
AN-ST13x140 [◊]	4007685 *	9	256,05	AN-ST19x140 [◊]	4007693 *	5	291,44
AN-ST13x160 [◊]	4007686 *	8	317,85	AN-ST19x160 [◊]	4002733 *	4	355,32

* Towar nie jest towarem dostępnym z magazynu, termin dostawy na zapytanie.

[◊] Forma dostawy: Z rozcięciem (bez zamknięcia samoprzylepnego)



Kaiflex Protect Alu-NET Otulina ST · Powłoka Alu-NET · samoprzylepna

Kolor: Srebrzysty · Długość: 1 m							
25 mm Grubość							
Wymiar	Nr kat.	m/ karton	zł/ m				
AN-ST25x018	4002734 *	25	98,44				
AN-ST25x022	4002735 *	21	100,97				
AN-ST25x028	4002736 *	20	106,00				
AN-ST25x035	4002737 *	16	112,10				
AN-ST25x042	4002738 *	12	115,95				
AN-ST25x048	4002739 *	12	130,69				
AN-ST25x054	4002740 *	11	149,51				
AN-ST25x060	4002741 *	11	158,55				
AN-ST25x064	4007694 *	9	173,28				
AN-ST25x070	4007695 *	9	176,43				
AN-ST25x076	4002742 *	9	179,55				
AN-ST25x089	4002743 *	7	194,81				
AN-ST25x108 [◊]	4005844 *	5	222,50				
AN-ST25x114 [◊]	4007696 *	5	231,06				
AN-ST25x140 [◊]	4007697 *	3	363,75				

* Towar nie jest towarem dostępnym z magazynu, termin dostawy na zapytanie.

◊ Forma dostawy: Z rozcięciem (bez zamknięcia samoprzylepnego)

Kaiflex Protect Alu-NET Mata ST · Powłoka Alu-NET · w rolce

Kolor: Srebrzysty								
Grubość mm	Mata · w rolce 1 m szerokość				Mata · w rolce · samoprzylepna 1 m szerokość			
	Wymiar	Nr kat.	m ² / rolka	zł/ m ²	Wymiar	Nr kat.	m ² / rolka	zł/ m ²
10	AN-ST10-RL	4002744 *	20	122,43	AN-ST10-RL-SK	4002750	20	168,26
13	AN-ST13-RL	4002745 *	14	139,06	AN-ST13-RL-SK	4002752	14	184,87
19	AN-ST19-RL	4002746	10	182,84	AN-ST19-RL-SK	4002754	10	224,71
25	AN-ST25-RL	4002747 *	8	207,24	AN-ST25-RL-SK	4002756	8	246,15
32	AN-ST32-RL	4002748 *	6	261,90	AN-ST32-RL-SK	4002757 *	6	283,54

* Towar nie jest towarem dostępnym z magazynu, termin dostawy na zapytanie.

Do izolacji kanałów i zbiorników – od średnicy rury 323 mm możliwe również dla rurociągów.



Kaiflex Protect TS Mata ST · Powłoka TS

Kolor: Czarny								
Grubość mm	Mata · w rolce 1 m szerokość				Mata · w rolce · samoprzylepna 1 m szerokość			
	Wymiar	Nr kat.	m ² / rolka	zł/ m ²	Wymiar	Nr kat.	m ² / rolka	zł/ m ²
6	TS-ST06-RL	4007639	30	108,02	TS-ST06-RL-SK	4007643	30	143,70
10	TS-ST10-RL	4007640	20	142,57	TS-ST10-RL-SK	4007644	20	170,94
13	TS-ST13-RL	4007641	14	152,18	TS-ST13-RL-SK	4002453 *	14	180,63
19	TS-ST19-RL	4002451 *	10	178,43	TS-ST19-RL-SK	4002454 *	10	207,15
25	TS-ST25-RL	4002452 *	8	203,81	TS-ST25-RL-SK	4002455	8	232,79
32	TS-ST32-RL	4007642	6	248,38	TS-ST32-RL-SK	4002456 *	6	277,84

* Towar nie jest towarem dostępnym z magazynu, termin dostawy na zapytanie.

Do izolacji kanałów i zbiorników – od średnicy rury 323 mm możliwe również dla rurociągów.

Kaiflex Protect TS Taśma

Kolor: Czarny · samoprzylepny						
Oznaczenie	Nr kat.	Długość m	Szerokość mm	Grubość mm	rolek/ karton	zł/ rolkę
TS-TAPE	4004074	15	50	3	12	149,20



Klej · Środek czyszczący · Powłoka ochronna

Opis	Nr kat.	Zawartość Puszka	Zawartość kartonu	zł/ Puszka
Klej				
Kaiflex Klej Specjalny 415	4007232	660 g	20	220,42
Kaiflex Klej Specjalny 414 · nie zawierający toluenu · puszka z pędzlem	4004706	220 g	24	40,81
Kaiflex Klej Specjalny 414 · nie zawierający toluenu	4004708	660 g	20	73,00
Kaiflex Klej Specjalny 414 · nie zawierający toluenu	4004710	2.200 g	6	189,55
Kaiflex Klej Specjalny 494 · nie zawierają heksanu i halogenu	4012616	2.200 g	6	312,79
Kaiflex Klej Specjalny 515 ECO · bez rozpuszczalników	4013475	1.000 g	12	462,29
Kaiflex Klej Specjalny EPDM · nie zawierający toluenu	4004699	660 g	20	128,49
Środek czyszczący				
Kaiflex Środek czyszczący	4004732	1,0 l	12	68,89
Powłoka ochronna				
Kaifinish powłoka ochronna · czysta biel RAL 9010	4004719	0,75 l	4	140,51
Kaifinish powłoka ochronna · szary RAL 7035	4004720	0,75 l	4	140,51

C.n.z.: Cena na zapytanie

Narzędzia

Opis	Nr kat.	Zawartość/ szt.	zł/ szt.
Pompka do kleju			
Pompka do kleju · długa szyjka · Pędzel 17 mm	4004718	1	282,45
Pompka do kleju · krótka szyjka · Pędzel 17 mm	4004715	1	263,98
Pędzel 11 mm	4004716	1	89,93
Pędzel 17 mm	4004717	1	96,59
Nóż			
Nóż ceramiczny · Nóż z ostrzem ceramicznym (15 cm) i rękojeścią z tworzywa sztucznego (14 cm)	4004737	1	128,89
Nóż do cięcia mat	4004735	1	80,73
Zestaw noży · 3 noże, 1 osłonka	4004736	1	250,67
Sztyfty żelowe			
Srebrny marker żelowy · do oznaczania materiałów izolacyjnych	4004730	12	270,70

Taśmy samoprzylepne

Opis	Nr kat.	Długość m	Szerokość mm	Grubość mm	rolek/ karton	zł/ rolkę
Kaiflex Taśma						
Kaiflex KKplus s1 Taśma · samoprzylepna	4010454	15	50	4	12	289,02
Kaiflex ST Taśma · samoprzylepna	4004675	15	50	3	12	20,10
Kaiflex EPDMplus Taśma · samoprzylepna	4004142	15	50	3	12	178,62
Kaiflex HFplus s2 Taśma · samoprzylepna	4005135	15	50	3	12	83,00



Kaifinish® Ochrona przeciw korozji

Opis	Nr kat.	Opakowanie	kg/ puszka	puszek/ karton	zł/ puszkę
Spoivo					
Kaifinish Primer (spoiwo)	4004474	Puszka	2,5	4	320,90
Powłoka bazowa					
Kaifinish Base (ochrona przeciw korozji powłoka bazowa)	4004475	Puszka	3,5	4	461,77
Powłoka zewnętrzna					
Kaifinish Cover (ochrona przeciw korozji powłoka zewnętrzna)	4004476	Puszka	3,5	4	536,05

§ 1 Scope of Application

- (1) All sales and deliveries by Kaimann GmbH ("Seller") to any entrepreneur as defined by section 14 German Civil Code [BGB], any legal entity under public law or any fund under public law ("Buyer") (collectively "the Parties") shall be governed exclusively by the Seller's General Terms and Conditions of Sale and Delivery ("General Terms and Conditions of Sale and Delivery").
- (2) Whether or not these General Terms and Conditions of Sale and Delivery are expressly agreed upon again, they shall apply also to all future sales and deliveries by the Seller to the Buyer. The version current at the time the contract is concluded shall apply in each case. The Seller shall, without undue delay, inform the Buyer of all new versions of these General Terms and Conditions of Sale and Delivery.
- (3) The Seller shall not accept any terms or conditions of the Buyer that conflict with, supplement or deviate from these General Terms and Conditions of Sale and Delivery, unless the Seller has expressly consented to their application. These General Terms and Conditions of Sale and Delivery shall apply even if the Seller unconditionally carries out an order knowing of terms and conditions of the Buyer conflicting with or deviating from these General Terms and Conditions of Sale and Delivery.

§ 2 Quotations, Conclusion of the Contract, Other Declarations

- (1) The Seller's quotations shall always be subject to change without notice. A contract shall come into being, if the Seller accepts an offer from the Buyer by acknowledging the Buyer's order in writing (including email) or by carrying out the Buyer's order. The Buyer shall be bound by its purchase order for 10 days.
- (2) Verbal commitments made by any representatives or other assistants of the Seller shall be binding only if and in so far as the Seller has confirmed the same in writing.
- (3) All legally relevant declarations and notifications required to be made by the Buyer to the Seller or any third party must be in text form.

§ 3 Performance by Third Parties

The Seller hereby reserves the right to appoint third parties to render services owed under the contract. The Buyer's rights against the Seller shall remain unaffected hereby.

§ 4 The Seller's Right of Rescission

- (1) If the Seller itself is not supplied, not supplied correctly or not supplied in due time by its suppliers, the Seller shall be entitled to rescind the contract.
- (2) Furthermore, the Seller shall be entitled to rescind the contract, if the Buyer has filed a petition for the institution of insolvency proceedings concerning its assets or has executed an affirmation in lieu of an oath in accordance with section 807 Code of Civil Procedure (ZPO), or if insolvency proceedings concerning its assets have been instituted or the institution of such proceedings has been dismissed owing to a lack of assets.
- (3) The Seller's other rights of rescission shall remain unaffected.

§ 5 Delivery

- (1) Except where otherwise agreed upon, deliveries shall take place "ex works" Kaimann GmbH Hövelhof (Incoterms 2020).

(2) The delivery period agreed upon in the contract shall apply. In the absence of a contractual agreement in this respect, the delivery period shall be 6 weeks from acknowledgement of the order within the meaning of § 2 (1). In so far as the Buyer is subject to a duty to co-operate, the delivery period shall not begin to run before the buyer has fulfilled such a duty.

(3) If delivery is temporarily delayed owing to force majeure or any other events unforeseeable at the time of the conclusion of the contract (operational disruptions of any kind, even if occurring at third parties appointed by the Seller or at their contractors; bottlenecks in the supply of material; etc.), the delivery period shall be extended accordingly. If such events lead to delivery being deferred by more than four months, both Parties shall be entitled to rescind the contract in respect of the scope of the services concerned. No other claims shall exist, unless the consignee notifies the carrier of the delay in delivery within 21 days after delivery.

(4) Sub-deliveries shall be permissible in so far as reasonable for the Buyer.

(5) The Buyer may assign its claims arising from the contractual relationship only with the Seller's prior consent.

§ 6 Export Control Law

(1) The Buyer hereby undertakes to refrain from carrying out under any circumstances any of the following transactions:

- transactions with persons, organisations or institutions listed on the sanctions list under EC Regulations or US export provisions;
- transactions with UN/EC-embargo states prohibited;
- transactions for which an essential permit is lacking.

The Buyer shall be liable for all expenditure and loss incurred by the Seller as a result of any violation.

(2) The Seller's contractual obligations shall cease to apply, if and in so far as applicable national or international foreign trade legislation and/or embargos and/or other sanctions conflict therewith.

§ 7 Prices and Payment Terms

(1) Except where otherwise agreed upon, prices for deliveries shall apply "ex works" Kaimann GmbH in Hövelhof (Incoterms 2020). In particular, such prices shall not include costs for shipping and transportation.

(2) All prices shall be subject to the addition of value-added tax at the rate prescribed by law at the time the invoice is issued.

(3) The Seller shall be entitled to invoice separately for any permissible sub-deliveries.

(4) The Seller hereby reserves the right to alter its prices accordingly, if costs fall or rise after the conclusion of the contract, particularly as a result of collective bargaining agreements or changes in the price of materials. The Seller shall prove such reductions or increases in costs, if the Buyer so requests.

(5) The amounts invoiced shall be paid within 14 days of the invoice date.

(6) Discountable bills of exchange and cheques shall be accepted by the Seller only by prior agreement and only on account of performance. Payment shall be deemed to have been made only when the bill of exchange or cheque amount has been definitively credited to a bank account of the Seller. All discounting, banking and collection charges, as well as all stamp duty shall be reimbursed by the Buyer.

(7) Payments shall always be credited against the oldest invoice. If charges and interest have already been incurred, payments shall first be credited against charges, then against interest and finally against the

principal claims.

(8) The Buyer shall have a right of set-off only if and in so far as its counterclaims are undisputed or have been determined by a final and non-appealable court judgement or its counterclaims are based on the same contractual relationship. The Buyer shall have a right of retention only if and in so far as its counterclaims are based on the same contractual relationship and are undisputed or have been determined by a final and non-appealable court judgement.

§ 8 Pallets, Packaging

(1) In so far as the Seller delivers the goods on returnable pallets, the Buyer shall return, in exchange on a concurrent basis, the same number of returnable pallets of the same kind and in similar condition. If no proper exchange occurs, the Buyer shall pay rental fees. The type, number of returnable packaging as well as the amount of rental fees will be communicated to the Buyer by the Seller in the course of the order confirmation, at the latest, however, when the invoice is issued.

(2) To keep the selling prices as stable as possible, costs in connection with the recovery and recycling of used packaging are not yet included in the delivery prices. Therefore, the Buyer shall recycle all used packaging independently and on its own account in accordance with the statutory and official requirements. The Buyer shall not be permitted, in this respect, to levy charges or reduce the amounts invoiced.

§ 9 Retention of Title

(1) The Seller shall retain title to the goods delivered until all present and future claims arising from the business relationship with the Buyer have been paid in full ("Goods under Retention of Title"). In the case of a running account, the property under retention of title shall serve to secure the balance claim.

(2) The Buyer shall treat all Goods under Retention of Title with care and shall adequately insure the same against fire damage, water damage and theft on a replacement value basis at its own expense. In so far as servicing and inspection work is necessary, the Buyer shall carry out such work in due time at its own expense.

(3) The Buyer shall be entitled to on-sell Goods under Retention of Title in the ordinary course of its business. However, the Buyer hereby assigns to the Seller all claims accruing to it from or in connection with on-selling against its customers or third parties (including all security and all ancillary rights) up to the sum of the final invoiced amount of the Seller's claims (including value-added tax), regardless of whether the item purchased is on-sold without having been processed or after having been processed. The Buyer shall, even after this assignment of claims, remain authorised to collect such claims. The Seller's right to collect such claims itself shall remain unaffected hereby. However, the Seller undertakes not to make use of this right as long as the Buyer meets its payments out of the proceeds received and has not defaulted on payment, particularly as long as no petition for the institution of insolvency proceedings has been filed and no payments have been suspended. In such cases, the Buyer shall inform the Seller of the claims assigned and the debtors concerned, provide all information necessary for collecting the claims, hand over all relevant documents and give the debtors (third parties) notification of this assignment.

(4) The Buyer shall not be entitled to pledge Goods under Retention of Title assign the same as security or encumber the same with any other third-party rights. The Buyer shall, without undue delay, inform the Seller of all third-party compulsory execution measures con-

cerning Goods under Retention of Title and hand over all documents necessary for any intervention. This shall apply also to impairments of any kind. Notwithstanding the foregoing, the Buyer shall point out to the third parties in advance all rights existing in respect of the Goods under Retention of Title. In so far as the third party is unable to reimburse the costs in connection with any intervention by the Seller, the Buyer shall bear such costs.

(5) Any processing or remodelling of Goods under Retention of Title by the Buyer shall always be deemed to have been carried out on the Seller's behalf. If any Goods under Retention of Title are processed together with other items not belonging to the Seller, the Seller shall acquire joint title to the new item in the ratio of the value of the Goods under Retention of Title (final amount invoiced, including value-added tax) in relation to the other processed items at the time of processing. Moreover, the terms and conditions applicable to Goods under Retention of Title shall apply equally to the item created as a result of processing.

(6) If any Goods under Retention of Title are inseparably mixed with other items not belonging to the Seller, the Seller shall acquire joint title to the new item in the ratio of the value of the Goods under Retention of Title (final amount invoiced, including value-added tax) in relation to the other mixed items at the time of mixing. If such mixing occurs in such a manner that the Buyer's item is to be regarded as the main item, it shall be deemed agreed that the Buyer shall transfer joint title to the Seller on a pro-rata basis. The Buyer shall hold in safekeeping for the Seller the sole or joint property thus created.

(7) As security for the Seller's claims against the Buyer, the Buyer hereby also assigns to the Seller all claims accruing to the Buyer against a third party as a result of Goods under Retention of Title having been connected to any plot of land.

(8) If the Seller is entitled to reclaim possession of Goods under Retention of Title, the Buyer shall bear the cost of such repossession. The Seller shall be authorised to realise such repossessed Goods under Retention of Title on the open market for the best possible price and credit the proceeds, less any appropriate costs in connection with such realisation, against the amounts owed by the Buyer.

(9) If the realisable value of the security exceeds the Seller's claims against the Buyer by more than 10 %, the Seller shall, if the Buyer so requests, release such security to a corresponding extent. The Seller hereby reserves the right to choose the security to be released.

(10) If, in the case of deliveries abroad, this retention of title cannot be agreed upon with the same effect as under German law, yet it is permissible to reserve other rights in the item delivered, the Seller shall be entitled to such rights. The Buyer shall co-operate therewith in every respect.

§ 10 The Seller's Documents

The Seller shall retain any and all rights of title, copyrights and industrial property rights in respect of illustrations, drawings, samples and other documents ("Documents"). This shall apply also to Documents not expressly designated as "confidential". The Buyer shall pass on such Documents to third parties only with the Seller's prior express written consent.

§ 11 Default in Taking Delivery

If the Buyer fails to accept the goods within a set grace period or refuses to take delivery of the goods, the Seller shall be entitled, without prejudice to any other rights, to rescind the contract and claim damages in lieu of performance. The damages in lieu of perfor-

mance shall be a liquidated amount equal to 10 % of the purchase price excluding deductions, unless the Buyer proves that no loss at all was incurred or that the loss incurred was lower than such liquidated damages. The Seller hereby reserves the right to prove a higher loss.

§ 12 Warranty for Defects

(1) The qualities of the goods to be delivered, including their usability for any specific purpose, shall ensue exclusively from the corresponding agreements made between the Parties. Deviations in dimensions and/or weight within the tolerance range customary in the trade shall not constitute a defect. Samples and specimens made available to the Buyer by the Seller shall serve only to approximately describe the goods. No illustrations in catalogues or prospectuses of the Seller shall be binding for execution. The Seller hereby reserves the right to make technical and/or design changes to the goods, in so far as such changes are customary in the trade, do not unreasonably impair the Buyer and do not impair the usability of the goods for the agreed purpose.

(2) The Buyer shall give the Seller notification in text form of any and all obvious defects without undue delay, however no later than within 5 days of delivery. If the Buyer fails to give notification in due time and form, the delivery shall be deemed approved, unless the Seller has fraudulently concealed the defect. Moreover, section 377 German Commercial Code (HGB) shall apply. If the Buyer fails to inspect the relevant characteristics for the intended purpose of use before installing the goods, at least on a spot-check basis (e. g. by means of functional tests or trial installation), he violates the diligence normally used in commercial practice to a considerable extent (gross negligence).

(3) In case of supplementary performance, the Seller hereby reserves the right to choose between eliminating any defect and delivering an item free from defects. This shall not apply in the event of supplier recourse under sections 445a, 445b German Civil Code (BGB), if the last contract within the supply chain is a purchase of consumer goods. Section 439 (3) German Civil Code (BGB) remains unaffected. The Buyer has to state and prove the necessity of expenses to remove defective and install non-defective goods. In order to substantiate these costs actually incurred for the reasonably implemented measure he is obliged to submit a comprehensible list of costs.

(4) The Seller may refuse to provide subsequent performance if the costs of the subsequent performance are disproportionate due to the specific circumstances of the case. The costs are disproportionate, in particular, if the costs of subsequent performance are disproportionate in comparison with the value of a defect-free good or in comparison with the significance of the defect. This shall regularly be the case of the total costs of the subsequent performance required exceed 150 % of the value of the goods invoiced or 200 % of the amount representing the loss of value. This does not apply in the case of the sale of consumer goods. If it concerns a sale of consumer goods according to section 474 ff. German Civil Code (BGB), the Seller may limit the reimbursement of expenses to be paid to the Buyer to an appropriate amount.

(5) The warranty period shall be one year. The statutory time-bar periods in cases of fraudulent concealment, in cases where an item used for a building commensurately with its customary use has caused such a building to become defective and in cases of supplier recourse under sections 445a, 445b German Civil Code (BGB) shall remain unaffected, if the last contract within the supply chain is a purchase of consumer goods.

(6) The Seller shall not assume any guarantees in the legal sense, unless expressly agreed upon.

(7) Damage claims based on any defect not already deemed approved under § 12 (2) shall be governed by § 13.

(8) Buyer's recourse claims according to sections 445a, 445b German Civil Code (BGB) shall only exist insofar as the Purchaser has not entered into any agreements with his customers that go beyond the statutory claims for defects. However, the Buyer's recourse claim shall only exist up to a maximum amount of 150 % of the value of goods invoiced. The latter stipulation does not apply, if the last contract within the supply chain is a purchase of consumer goods.

(9) The limitation period for Buyer's recourse claims according to sections 445a, 445b German Civil Code (BGB) is one year after the statutory limitation period begins, unless the last contract within the supply chain is a purchase of consumer goods. If the last contract within the supply chain is a purchase of consumer goods, the statutory limitation periods shall remain unaffected.

§ 13 Liability for Damages

(1) Unless otherwise stipulated in these General Terms and Conditions of Sale and Delivery, including the following provisions, the Seller shall be liable in the event of a breach of contractual and non-contractual obligations in accordance with the statutory provisions.

(2) The Seller shall be liable for damages - on whatever legal grounds - within the scope of liability for culpa in cases of intent and gross negligence. In the event of simple negligence, the Seller shall only be liable subject to a milder standard of liability in accordance with statutory provisions (e.g. for diligence in his own matters) in the case of

a) damages resulting from injury to life, body or health,

b) damages arising from a not insignificant breach of a material contractual obligation (obligation whose fulfilment is essential for the proper performance of the contract and on whose compliance the contractual partner regularly relies and may rely); in this case the liability of the Seller is limited to compensation for the foreseeable, typically occurring damage.

(3) The limitations of liability resulting from paragraph 2 shall equally apply to breaches of duty on the part of or in favour of persons whose fault the Seller is responsible for in accordance with statutory provisions. They do not apply if the Seller maliciously concealed a defect or assumed a guarantee for the quality of the goods and for claims of the Buyer under the Product Liability Act.

(4) Due to a breach of duty which does not consist in a defect, the Buyer can only withdraw or terminate if the Seller is responsible for the breach of duty. A free right of termination of the Buyer (in particular according to sections 650, 648 German Civil Code (BGB)) is excluded. In all other respects, the statutory requirements and legal consequences shall apply.

§ 14 Applicable Law, Place of Performance, Place of Jurisdiction

(1) The laws of the Federal Republic of Germany, excluding the UN sales law (CISG), shall apply.

(2) The place where the Seller's registered office is situated shall be the place of performance.

(3) The place where the Seller's registered office is situated shall be the place of jurisdiction. However, the Seller hereby reserves the right to bring an action against the Buyer at the Buyer's place of general jurisdiction.

